

## **BANKURA UNIVERSITY**

(West Bengal Act XIX of 2013- Bankura University Act, 2013) Main Campus, Bankura Block-II, P.O.: Purandarpur, Dist.: Bankura, Pin- 722155, West Bengal

## Office of the Registrar

No: RO/BKU/37 /2022 Date: 25/01/2022

# **Tender Notice**

Sealed quotations are invited from the reputed manufacturers, suppliers and Vendors for procurement of Laboratory Equipment for the Department of Chemistry, Bankura University.

The quotations are to be submitted to the Registrar, Bankura University, Bankura Block-II, P.O.-Purandarpur, Bankura, Pin-722155. Last date of submission of quotation is on 01.02.2022 up to 3.00 p.m.

### **Eligibility criterion of participation in the tender:**

- a) Bonafide, resourceful and reliable Vendors.
- b) An undertaking should be given stating thereby that the firm has not been debarred or penalized for any reasons out of work by any Government Department.
- c) Subletting of suppliers is strictly prohibited.
- d) The prospective bidders must have valid upto date clearance of Income Tax return / Professional Tax clearance certificate / P.T (Deposit Challan) / PAN Card / **GST registration certificate**.
- e) The prospective bidders must have valid Trade License/ Enlistment.
- f) The authorised Dealers/ Vendors must have authorization certificate of dealership.
- g) The suppliers who have been delisted or debarred by any government department shall not be eligible in any way.
- h) Past performance for vender will be judged (please attached three largest clients other than the Bankura University).
- i) Rate is to be inclusive of all taxes and transport charges etc.
- j) The rates will be valid upto 31.03.2022.
- k) The University reserves the right to accept or reject any quotation without assigning any reason whatsoever.

## Statement showing the Name, specification and quantity of the Equipment

Sl. No.	Name of the Item	Specifications/items	Quantity
1.	Water Bath	Water bath (6 hole double wall).  Power- 220 V / 50 Hz, Holes Dia 75 mm  Water bath double wall microprocessor based digital control. Outer and inner make stainless steel.  Control panel have On/off switch, Heating and mains indicators. Thermostatic temperature controller  The temperature ranges from above ambient to 100°C in all heated baths but extends to 250°C in case of oil baths.	01 No.

2.	Heating mantle (250/500 ml) Temp. upto 450 °C	Capacity: 250/500mL Temperature range: up to 350°C	01 No.
3	Magnetic stirrer with hot plate and bar (25 X 6 mm)	Remi Magnetic Stirrer with Hotplate, 2 MLH, Stirring Capacity: 2 L Magnetic Stirrer Bar (25 X 6 mm)	01 No.
4	Magnetic stirrer without hot plate and bar (12 X 6 mm)	Remi Magnetic Stirrer with Hotplate, 2 ML, Stirring Capacity: 2 L Magnetic Stirrer Bar (12 X 6 mm)	01 No.

Sd/-Prof. Subir Kumar Roy Registrar (Addl. Charge) Bankura University

Date: 25 /01/2022

Memo No. RO/BKU/ 37/1(5) /2022

#### Copy Forwarded to:

- 1. The Finance Officer, Bankura University.
- 2. System Administrator, Bankura University with a request to upload the notice in the university website
- 3. Central Store, Bankura University
- 4. Office Notice Board.
- 5. Guard file

Sd/-Prof. Subir Kumar Roy Registrar (Addl. Charge) Bankura University