



BANKURA UNIVERSITY

(West Bengal Act XIX of 2013- Bankura University Act, 2013)

Main Campus, Bankura Block-II, P.O.: Purandarpur, Dist.:

Bankura, Pin- 722155, West Bengal

Office of the Registrar

No: RO/BKU/ 272/2024

Date: 25/07/2024

Tender Notice

Sealed quotations are invited from the reputed manufacturers, suppliers and vendors for purchase of Vacuum Pump for research project no. EEQ/2022/000401 of Dr. Ram Chandra Maji, Assistant Professor, Department of Chemistry, Bankura University.

The quotations are to be submitted to the Registrar, Bankura University, Bankura Block-II, P.O.- Purandarpur, Bankura, Pin- 722155. Last date of submission of quotation is on 01.08.2024 up to 3.00 p.m.

Eligibility criterion of participation in the tender:

- Bonafide, resourceful and reliable Vendors.
- An undertaking should be given stating thereby that the firm has not been debarred or penalized for any reasons out of work by any Government Department.
- Subletting of suppliers is strictly prohibited.
- The prospective bidders must have valid upto date clearance of Income Tax return / Professional Tax clearance certificate / P.T (Deposit Challan) / PAN Card / **GST registration certificate**.
- The prospective bidders must have valid Trade License/ Enlistment.
- The authorised Dealers/ Vendors must have authorization certificate of dealership.
- The suppliers who have been delisted or debarred by any government department shall not be eligible in any way.
- Past performance for vender will be judged (please attached three largest clients other than the Bankura University).
- Rate is to be inclusive of all taxes and transport charges etc.
- The rates will be valid upto 31.12.2024.
- The University reserves the right to accept or reject any quotation without assigning any reason whatsoever.

Detail specifications of the Vacuum Pump is given below:

Sl. No.	Specification	Quantity
1.	Power : 1 HP Frequency : 50-60 Hz Flow Rate : 350 L/mints or Higher Ultimate Vacuum Partial pressure : 2×10^{-1} Pa & total pressure: 15 micron Oil capacity : 400-600 ML Inlet Port : $\frac{1}{4}$ * & $\frac{3}{4}$ SAE	1

Sd/-
Dr. Saurabh Dutta
Registrar (Addl. Charge)
Bankura University

Memo No. RO/BKU/ 272/01(05)/2024

Date: 25/07/2024

Copy Forwarded to:

1. The Finance Officer, Bankura University.
2. System Administrator, Bankura University with a request to upload the notice in the university website
3. Central Store, Bankura University
4. Office Notice Board.
5. Guard file

Sd/-

Dr. Saurabh Dutta
Registrar (Addl. Charge)
Bankura University